

	Type	Hits	Search Text	DBs
41	BRS	0	anti-corrosive near ackali	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	1	anti-corrosive near material near acid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	33	anti-corrosive near acid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	0	anti-corrosive near acid near resistant near plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	anti-corrosive near acid near plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	16	acid near resistance near plastic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	IS&R	2	("6273253").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	16	("3713533"   "3867944"   "4076120"   "4146130"   "4212390"   "4344531"   "4696396"   "4936447"   "4961499"   "4971198"   "4972949"   "5046611"   "5201416"   "5279416"   "5908430").PN. OR ("6273253").URPN.	US-PGPUB; USPAT; USOCR
49	BRS	10	S48 and (rigid or flexible or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	8609	(rigid near wall opposing near a near resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	8609	(rigid near wall opposing near a near resilient near wall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	287	(rigid near wall opposing near a near resilient near wall) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
53	BRS	0	(rigid near wall near opposing near a near resilient near wall) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	BRS	0	(rigid near wall near opposing near a near resilient near wall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	0	(rigid near wall near opposing near resilient near wall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	2	(rigid near opposing near resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	3	("2702442").URPN.	USPAT
58	BRS	3639	(rigid near resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	113	(rigid near resilient) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	0	((rigid near resilient) near clamp) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	BRS	6	((rigid near resilient) near clamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	BRS	30565	(rigid near opposing resilient) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	BRS	0	(rigid near opposing near resilient) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	(rigid near opposite near resilient) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	(rigid near opposing near flexible) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	BRS	0	(rigid near opposite near flexible) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
<b>67</b>	BRS	2	(rigid near opposite near flexible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>68</b>	BRS	0	(rigid near opposite near resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>69</b>	BRS	2	(rigid near opposing near resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>70</b>	BRS	26	(gripper near flexible) and conveyor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB